

Message

From: Wente, Stephen [Wente.Stephen@epa.gov]
Sent: 9/29/2020 6:56:47 PM
To: Lin, James [lin.james@epa.gov]; Blankinship, Amy [Blankinship.Amy@epa.gov]
Subject: RE: Aldicarb GW results

Sorry!

From: Lin, James <lin.james@epa.gov>
Sent: Tuesday, September 29, 2020 2:54 PM
To: Wente, Stephen <Wente.Stephen@epa.gov>; Blankinship, Amy <Blankinship.Amy@epa.gov>
Subject: RE: Aldicarb GW results

The previous email with FL62 file.
Thanks much.

From: Wente, Stephen <Wente.Stephen@epa.gov>
Sent: Tuesday, September 29, 2020 2:53 PM
To: Blankinship, Amy <Blankinship.Amy@epa.gov>; Lin, James <lin.james@epa.gov>
Subject: RE: Aldicarb GW results

Jim:

Ex. 5 Deliberative Process (DP)

Steve

From: Blankinship, Amy <Blankinship.Amy@epa.gov>
Sent: Tuesday, September 29, 2020 2:43 PM
To: Lin, James <lin.james@epa.gov>; Wente, Stephen <Wente.Stephen@epa.gov>
Subject: RE: Aldicarb GW results

The proposed well set-back is 300ft, so we at least need to know the values at that distance. However, I would also think

Ex. 5 Deliberative Process (DP)

From: Lin, James <lin.james@epa.gov>
Sent: Tuesday, September 29, 2020 2:36 PM
To: Blankinship, Amy <Blankinship.Amy@epa.gov>; Wente, Stephen <Wente.Stephen@epa.gov>
Subject: Aldicarb GW results

The results are tabulated below:

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Thanks much.

From: Blankinship, Amy <Blankinship.Amy@epa.gov>
Sent: Tuesday, September 29, 2020 2:01 PM
To: Wenten, Stephen <Wenten.Stephen@epa.gov>; Lin, James <lin.james@epa.gov>
Subject: RE: aldicarb

Sounds good.

From: Wenten, Stephen <Wenten.Stephen@epa.gov>
Sent: Tuesday, September 29, 2020 1:52 PM
To: Blankinship, Amy <Blankinship.Amy@epa.gov>; Lin, James <lin.james@epa.gov>
Subject: RE: aldicarb

Ex. 5 Deliberative Process (DP)

From: Blankinship, Amy <Blankinship.Amy@epa.gov>
Sent: Tuesday, September 29, 2020 12:27 PM
To: Lin, James <lin.james@epa.gov>; Wenten, Stephen <Wenten.Stephen@epa.gov>
Subject: aldicarb

Hi,

For easy reference, attached is the latest DWA numbers I have.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Amy Blankinship
Branch Chief, ERB2
USEPA – OCSPP/OPP/EFED
703-347-8062